

GLOBAL CLINICAL SUPPLY SERVICES

Capabilities

Xerimis US (HQ) 102 Executive Drive Moorestown, NJ 08057 United States

Xerimis B.V. Unit A2 Access 12 St. Jacobsstraat 125 3511 BP Utrecht Theale RG7 4PN The Netherlands United Kingdom

T 856.727.9940 | sales@xerimis.com | xerimis.com

Xerimis UK

Station Road

In-House Labeling



Clinical Labeling Services at Xerimis

At Xerimis, we offer a full array of labeling services that meet all of your clinical packaging needs. Since we maintain in house label printing capability, we can go from label text approval to released labels in just a matter of days. We carry a wide variety of label stock in house to cover most applications. If a custom stock is required we will work closely with our vendors to design and manufacturer labels in as little as two weeks. Most importantly, we have years of experience to identify and solve any labeling challenges that may arise.

Single Panel White Labels

Xerimis stocks a wide variety of single panel labels so from small vials to large patient kits we will find the right size for your study. We can choose paper or synthetic face stocks based on the application.

In addition, many different adhesives are available for a variety of temperature ranges or special circumstances such as ophthalmic solutions which require nonleachable materials.

Protocol No. ABC-123 X ERIMIS Patient No.: XXXX Use as directed by investigator Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

In-House Labeling Capabilities



Xerimis

Protocol No. ABC-123 XERIMIS Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigations Use Only. Kerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol ABC-123 Subject No. XXXX Contains 4.5g topical gel Caution: New Drug - Limited by Federal (USA) Law to Investigational Use KERIMIS Xerimis, Inc.

Protocol No. ABC-123 KERIMIS Patient No.: XXXX Store at controlled room temperature Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol No. ABC-123 KERIMIS Patient No.: XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940

E-mail: Sales@Xerimis.com



Protocol No. ABC-123





Use as directed by investigator.

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing.

Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com




+

Color Labels

We are often asked to visually differentiate supplies either to define phases of a study or to distinguish two similar studies that may be running at a site simultaneously.

Color labels are an easy and effective method to accomplish this goal. Xerimis can also produce custom stocks that are specific to an exact color specification if needed.

In-House Labeling Capabilities











Protocol No. ASC-123 Patient No: XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com





Protocol No. ABC-123 Patient No. :XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Zerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 Patient No.: XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



Protocol No. ABC-123 Patient No: XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



Protocol No. ABC-123
Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing.

Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing.


Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com







Protocol No. ABC-123 XCENIMIE Detern No. XXXX XEENIMIE Use as directed by investigator. Store at controlled room temperature 20°-25°C (85°-77°) - avoid freezing. Keep out of the reach of children Caution. New Drug - Limited by Federal Law (U.S.) to Investigational Lee Only. Phone: 656) 727-9940 E-mail: Sales@kermis.com Protocol No. ABC-123 XCENTINE Patient No. XXXX Ventities Use as directed by investigator. Store at controlled room temperature 20°- 25°C (88°- 77°F) avoid freezing. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xermits E-mail: Sales@Mermits.com

Protocol No. ABC-123 Patient No.: XXXX Store at controlled room temperature. Keep out of the reach of children Gaution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com





Protocor No. ABC-123 Pratent No. XXXX Store at controlled room temperature. Keep out of the reach of children Caution. New Drug - Limited by Frderat Law US 3), Investigational Use Only. Process (36) 727-8401. Center Saved/Kennes con



Protocol No. ABC-123 Pattent No. 5000 Store at controlled room temperature Keep out of the reach of children Cuation: New Drug - Limited by Federal Law (U.B.) to investigational Use Drug Phone: 4031 127-0400. Energi Stareg@kerma.com Phone: 8031 127-0400. Energi Stareg@kerma.com

Protect No. ABC-122 Pattent No. XXXX Show at controlled noom temperature Keep out of the reach of children Castern: New Drig L Invised by Federal Law Casternie New York (Strange Casternie New (169) 727-0443 Erwalt Same@Keenwa zon Phone (169) 727-0443 Erwalt Same@Keenwa zon

Protocol No. ABC-122 Partner, No. XXXX Store at controlled room temperature Keep out of the reach of children (U.S.) to through out of the react <u>Keeps</u> <u>Keeps</u>



+

Two Part Labels with Tear-Off Panels

Sites are often asked to document in their files each time a kit is dispensed. Multi-part labels are ideal for this situation. Their design allows the appropriate panel to be removed at a perforation, the label liner is removed and then the label can be placed into the site's records. Each panel usually contains identical information, providing a clear link between the documentation and the kits themselves.

Protocol No. ABC-123 KERIMIS Patient No.: XXXX Store at controlled room temperature.

Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940

E-mail: Sales@Xerimis.com

XERIMIS Protocol No. ABC-123 Patient No.: XXXX

Store at controlled room temperature. Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

KERIMIS Protocol No. ABC-123 Patient No.: XXXX

Store at controlled room temperature. Keep out of the reach of children

Caution: New Drug - Limited by Federal Law

(U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940

E-mail: Sales@Xerimis.com

Protocol No. ABC-123 KERIMIS Patient No.: XXXX

Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law

(U.S.) to Investigational Use Only. Xerimis

Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol No. ABC-123

Patient No.: XXXX

KERIMIS

Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol No. ABC-123 KERIMIS Patient No.: XXXX Store at controlled room temperature.

Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



Opaque Backing Labels

Dosage forms often contain information such as lot numbers or expiration dates that need to be covered to maintain the blind. Opaque labels are ideal for this task. They can also be used to cover commercials supplies for use in clinical applications.



In-House Labeling Capabilities



Protocol No. ABC-123

Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing.

Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940

E-mail: Sales@Xerimis.com



Protocol No. ABC-123 Patent No. XXXXX Store at control from temperature. Keep out of the reach of children Caution: New Orag: Limited by Freeric Law (U.S.) to threetigthood Lise Oray Phone: (80): 727-9640 E-mail: Sales(@Xerimis.com KERIMIS Protocol No. ABC-123 Pasent No.: XOOX Store at controlled room temperature. Keep out of the reach of children Caution. New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Kerlinis XERIMIB Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol No. ABC-123 Pastern No. XXXX Store at controlled room temperature Keep out of the reach of children KERIMIS Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol No. ABC-123 Patient No: XXXX National Noise Data Caudion: New Drug - Limited by Pederal Law (U.S.) to Interest of calibation Protocol 1960 (27,74940 Protocol 1960) (27,74940)

Protocol No. ABC-123 Patient No · XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com





Protocol No. ABC-123 KERIMIS Patient No : XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

KERIMIB Protocol No. ABC-123 Patient No.: XXXX Store at controlled room temperature. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



Protocol No. ABC-123 Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Yarimia Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Protocol No. ABC-123 XERIMIS

Caution: New Drug - Limited by Federal Law

Protocol No. ABC-123

Caution: New Drug - Limited by Federal Law

Store at controlled room temperature.

Keep out of the reach of children

(U.S.) to Investigational Use Only.

Store at controlled room temperature.

Keep out of the reach of children

(U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Patient No : XXXX

Protocol No. ABC-123

to Investigational Use Only.

E-mail: Sales@Xerimis.com

Use as directed by investigator.

Store at controlled room temperature

Keep out of the reach of children

to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Xerimis

20" - 25"C (68" - 77"F) - avoid freezing

Caution: New Drug - Limited by Federal Law (U.S.)

Xerimis Phone: (856) 727-9940

Protocol No. ABC-123 Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature

Keep out of the reach of children

20" - 25°C (68" - 77'F) - avoid freezing.

Caution: New Drug - Limited by Federal Law (U.S.)

Patient No.: XXXX

Protect No. ABC-123		Paralaction ARD-121		Press No. 580-128	
Karman Marine Alber 727-68-62 Lonal Lanes@Karma.com	Xeene	Name (201) 721-8040 R-mail Strengthermic com	Xenma	Para det 121-000 Francisco de la completa da	Xenne
Protocol file: ABC 123 Servers More: 2001 727-0440 E-mail: Sales@Rections.com	Xenne	Protocol No. ABC 120 Kenting Protocol State 227 Addied E-road: State @State 127 Addied E-road: State @State 127 Addied	Xenne	Presonal No. 1400-120 Records Process (888) 727-184-0 Record Records Const Record Record Record Records Const Record Record Record Record Records Const Record Record Reco	Xenne
Presson for ABC-123 Sectors Process (ABC 127-324) Engl (acce)[Control con-	Xenne	National No. ABC 123 Records Rooms (2011 127-2005) Travel (Stategy) Contract cont	Kenne	Autorative ARC-123 Automa Prove attact (27-64-0 E-mail Reseighterme con	Xenne
Network for ABC-123 Names Proce about 122-pand E-mail Sam@Sames.com	Xenne	Russer In. ABC-121 Russes Russes Russe (Mdr. 127-694) E-mail: Same@Karrine.com	Xenne	Protocol No. 680-123 Revents Prome (100, 127-64-0) Cimar (Scenet) Revents com	Xeene
Presson file AND 123 Marries Prante (200 127-0040) C-east Careng Carries com	Xeene	Protect No. ARD 121 North No. ARD 121 North State (State 127-1594) E-mail: Rating Rational state	Xenne	Putacates Alto 123 Antonia Prana asso 127-all-d Errar Sceni@herror.com	Xenne
Present for ABC 123 Nation Proce (856) 727 (864) E-real States(@Farmer.com	Xenne	Protect Nr. ABC-121 Rooms Proceed date, 127-6541 E-ray: Danighterine carr	Хелла	Patasat ka. ABD 123 Ramma Muraw dddi, 127 dawl Dinar Taxwagharma san	Xeema
Andread No. AMC 123 Restrict Prome (200) 127-0040 Frank Rene@Serves.com	Xenne	Protecti for ABC-123 Rationa Protection, 727 doi:1 E-mail:Same@Karima.com	Xenne	Andreas feit ABC-122 Marchine MSR, 727 abrill Britan Dasse@Ratines.com	Xenne

ERIMIS

ERIMIS

Protocol No. ABC-123 Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature

Keep out of the reach of children

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing

Keep out of the reach of children

to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

to Investigational Use Only.

E-mail: Sales@Xerimis.com

Xerimis Phone: (856) 727-9940

Protocol No. ABC-123 Patient No.: XXXX

20" - 25"C (68" - 77"F) - avoid freezing.

Caution: New Drug - Limited by Federal Law (U.S.)

Use as directed by investigator.

Caution: New Drug - Limited by Federal Law (U.S.)

KERIMIS

Barcodes Labels

Many studies utilize barcodes to help track the flow of supplies. Simply specify the desired format and Xerimis can produce the barcode needed.

Protocol No. ABC-123 ERIMIS Patient No.: XXXX Use as directed by investigator. Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com

Xerimis



Caution: New Drug - Limited by Federal Law

(U.S.) to Investigational Use Only.

Phone: (856) 727-9940

E-mail: Sales@Xerimis.com

Yerimie

Protocol No. ABC-123

Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing.

Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



ERIMIS



Protocol No. ABC-123 Patient No.: XXXX

KERIMIS

Use as directed by investigator. Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Phone: (856) 727-9940 E-mail: Sales@Xerimis.com





Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



Double Blinded Labels with **Disclosure Panels**

Some studies still require an unblinding method to be available at the site in the case of emergency. The disclosure panel is removed from the patient kit and placed into the site documents. If needed, the blinded panel is scratched off, revealing the treatment group of the patient in question.

Protocol No. ABC-123 Patient No.: XXXX Use as directed by investigator. Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com



Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 Patient No.: XXXX Use as directed by investigator. Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing. Keep out of the reach of children


Protocol No. ABC-123 Patient No.: XXXX

Use as directed by investigator.

Store at controlled room temperature 20° - 25°C (68° - 77°F) - avoid freezing.

Keep out of the reach of children





Extended Content Labeling



The amount of information needed to label small vials often prevents the use of standard single panel labels. Extended content labels are an efficient method of satisfying the regulatory needs for clinical studies for small dosage forms. A portion of the label is applied to the product and the rest is wrapped around and secured.

In-House Labeling Capabilities

Protocol No. ABC-123 Patient No: XXXX Store frozen -45°C to -60 °C. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.	Xerimis 102 Executive Dr., Moorestown, NJ 08057 Phone: (856) 727-9940 E-mail: Sales@Xerimis.com	
Protocol No. ABC-123 Patient No. 3000 Sture frozen -45°C to -60 °C. Keep out of the reach of children Goution: New Turg Limited by Pederal Law (U.S.) to Investigational Use Only.	Xerimis 102 Executive Dr. Moorestown, NJ 08067 Phone: (856) 727-9940 E-mail: Sales@Xerimis.com	
Protocol No. ABC-123 Store frezan -45°C to -60 °C. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.	Xerinis 102 Executive Dr. Moorestown, NJ 08067 Phone: (856) 727-9940 E-mail: Sales@Xerimis.com	KERIM
Protocol No. ABC-123 Patient No.: 3000X Store Store 1: 50: 00 - 00 - 00 Keep out of the reach of children Caution: New Trug - Limited by Federal Law (U.S.) to Investigational Use Only.	Xerimis 102 Executive Dr. Moorestown, NJ 08057 Phone: (565) 727-9940 E-mail: Sales@Xermis.com	



Protocol No. ABC-123 Patient No.: XXXX Store below 30°C; excursions permitted from 59°F-86°F. Do not freeze. Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. E-mail: Sales@Xerimis.com

Xerimis 102 Executive Dr. Moorestown, NJ 08057 Phone: (856) 727-9940



PG 12

÷

Diaper Label

Diaper labels are designed to completely cover a commercial product for use in a blinded study. They contain an opaque adhesive which obscures all visible information.



Keep out of the reach of children

Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only.

Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com





÷

Clear Labels

In-House Labeling Capabilities

Clear labels are useful when the drug product needs to remain visible for dispensing purposes. They can also be used for expiry update purposes as well.

In-House Labeling Capabilities



+

ColdTemp Chain Labels

The stability requirements for many biological drug products necessitates cold chain storage conditions. Xerimis stocks a variety of labels with service and application temperatures at room temperature, refrigerated, frozen (-20C) and ultra-low (-70C) conditions.

Protocol No. ABC-123 KERIMIS Protocol No. ABC-123 KERIMIS Patient No .: XXXX Patient No XXXX Store at controlled room temperature. Store at controlled room temperature. Keep out of the reach of children Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 KERIMIS Protocol No. ABC-123 KERIMIS Patient No.: XXXX Patient No .: XXXX Store at controlled room temperature. Store at controlled room temperature. Keep out of the reach of children Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 XERIMIS Protocol No. ABC-123 KERIMIS Patient No.: XXXX Patient No : XXXX Store at controlled room temperature. Store at controlled room temperature. Keep out of the reach of children Keep out of the reach of children Caution. New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 Protocol No. ABC-123 KERIMIS KERIMIS Patient No.: XXXX Patient No : XXXX Store at controlled room temperature. Store at controlled room temperature. Keep out of the reach of children Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Yarimis Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 KERIMIS Protocol No. ABC-123 KERIMIS Patient No : XXXX Patient No.: XXXX Store at controlled room temperature. Store at controlled room temperature. Keep out of the reach of children Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Protocol No. ABC-123 KERIMIS Protocol No. ABC-123 KERIMIS Patient No.: XXXX Patient No.: XXXX Store at controlled room temperature. Store at controlled room temperature. Keep out of the reach of children Keep out of the reach of children Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Caution: New Drug - Limited by Federal Law (U.S.) to Investigational Use Only. Xerimis Xerimis Phone: (856) 727-9940 E-mail: Sales@Xerimis.com Phone: (856) 727-9940 E-mail: Sales@Xerimis.com


+

Source Booklet Labels

Xerimis works with trusted partners for the design and production of booklet labels. Our extensive experience with international trials will help develop the best booklet for your study. Once the booklet text is approved, we have received the finished booklets in as little as two weeks which helps maintain the aggressive timelines often associated with global studies.

In-House Labeling Capabilities

rotocol VIS410-203 i. Randomisatienummer:	Protocol VIS410-203 i. Randomization#		
15410, 25 mg/ml, 20 mL intraveneuze oplossing lewaren b) 2-8°C. Alschermen van licht nied Voor Gebruis in Klinische Studies I/ gebruik volgens protocol	VIS410, 25 mg/mL, 20 mL intravenous solution, Store at 2-8°C Protect from light. Clinical Trial Use Only; IV use as per protocol ii. Lot #:		
Lotnummer:	III. Expiration Date: MFD by: LSNE, Bedford, NH, USA.		
i. Vervaldatum:			
IFD door: LSNE, Bedford, NH, USA /oor: Visterra, Inc.,Cambridge, MA, USA	AU Sponsor: Pharmaceutical Solutions Australia Pty Ltd, NSW, Australia		





Your Project. Your Timeline. A Better Path.

Xerimis Inc. is a privately held clinical packaging firm providing customized clinical packaging services on a global basis. Xerimis performs various types of primary and secondary packaging and labeling operations. Our team can work with you to determine the ideal packaging strategy based on your individual protocol requirements.



Global Supply Chain Management

With over seventy-five years of collective experience in the clinical packaging field, the core staff of Xerimis offers experience with a wide variety of clinical trial designs from simple to complex.



Our Locations

Xerimis' global network offers reliable, consistent service through strategically located depots around the world, as well as full service management of global depots. We proudly offer efficient, reliable, and seamless distribution of clinical supplies under controlled conditions f or trials packaged by Xerimis, the sponsor, or third parties.

Working with our UK facility and other strategically located depots throughout the world, we can distribute supplies for any trial worldwide. Our QPs understand the unique requirements for importing into the EU and work proactively with our clients to ensure all documents and audits are completed well in advance of supplies being needed at sites within the EU.